

November 2011 - 31st January 2012

DRAPER[®] Workshop Focus On...

A promotion of Professional Quality
Space Heaters and Battery Chargers
for use in Industrial, Agricultural and
Automotive Workshops.

**Over 40
Quality Guaranteed
products in this issue.**



**Space Heaters
& Battery
Chargers**

12/24V
Heavy Duty
Power Pack
Stock No.45015 See page 5
£749.00
TSP ex.VAT



12V
Charger With
Constant Output
Stock No.45373 See page 2
£290.00
TSP ex.VAT



**Available While
Stocks Last!**



20kW
Diesel/ Kerosene
Space Heater
Stock No. 39077 See page 6
£339.00
TSP ex.VAT



Desulphation Facility microprocessor controlled smart chargers for garage and workshop use.

The chargers will fully maintain the battery when vehicle is not used for several months. With a built in desulphation capability allowing the detached sulphite to return to the electrolyte within the battery. Can be left permanently connected without damage to the battery. Built in polarity protection for total security. Suitable for use with lead acid, lead acid maintenance free, lead AGM, lead calcium and GEL batteries.

BC1113D

6/12/24V Battery Charger with Desulphation Facility

Expert Quality. Polarity protected. Charging voltage output 6-12-24V. Effective charging current 11A. Av charging current (EN60335) 7A. Thermal overload protection. Dimensions: 470 x 320 x 750mm. Weight: 28kg.



Stock No: 07265


Ex. Vat List Price £150.00 *TSP £143.00	Inc. Vat List Price £180.00 *TSP £171.60
--	---

BC15AC0

12V Battery Charger with Constant Output Mode & Desulphation Mode

Expert Quality. Helps technicians with diagnostics on vehicles fitted with ECU'S. Provides a constant power source to maintain the battery charge during 'Key on, Engine off' diagnostics such as fault code reading and ECU re-programming. Ideal for 12V batteries between 35 and 110Ah. Patented desulphation recovery programme to restore and charge sulphated batteries. Starts charging batteries as low as 1V. Soft start current control to prevent damage to calcium battery types. Reverse polarity protection. Short circuit shutdown which prevents damage to the charger in the event of a short circuit or polarity inversion. When charging cycle has been completed the charger switches into standby mode which compensates for any battery self discharge and holds the battery at peak charge ready for use without overcharging. Dimensions 250 x 180 x 190mm

Constant Output Mode



Stock No: 45373

Ex. Vat List Price £325.50 *TSP £290.00	Inc. Vat List Price £390.60 *TSP £348.00
--	---

BC2213D

6/12/24V Battery Charger with Desulphation Facility

Expert Quality. Polarity protected. Fully automatic. Charging voltage output 6-12-24V. Effective charging current 22A. Av charging current (EN60335) 15A. Dimensions: 470 x 320 x 750mm. Weight: 28kg.



Stock No: 07266

Ex. Vat List Price £230.00 *TSP £215.00	Inc. Vat List Price £276.00 *TSP £258.00
--	---

BCS5000T

12/24V 700A Battery Starter/Charger with Trolley

Expert Quality. Suitable for charging lead acid, lead acid maintenance free, lead AGM, lead calcium batteries. Polarity protected. Charging voltage output 12-24V. Effective charging current 105A. Av charging current (EN60335) 70A. Thermal overload protection. Dimensions: 470 x 320 x 750mm. Weight: 28kg.



Stock No: 07264

Ex. Vat List Price £570.00 *TSP £529.00	Inc. Vat List Price £684.00 *TSP £634.80
--	---

BCS400T

12/24V 400A Battery Starter/Charger with Trolley

Expert Quality. Suitable for charging lead acid, lead acid maintenance free, lead AGM, lead calcium batteries. Polarity protected. Charging voltage output 12-24V. Effective charging current 40A. Av charging current (EN60335) 26A. Thermal overload protection. Dimensions: 400 x 300 x 640mm. Weight: 18kg.



Stock No: 07263

Ex. Vat List Price £299.00 *TSP £259.00	Inc. Vat List Price £358.80 *TSP £310.80
--	---

BCS300

12/24V 300A Battery Starter/Charger

Expert Quality. Polarity protected. Charging voltage output 12-24V. Rechargeable battery cap. range: 15- 500Ah. Effective charging current 30A. Av charging current (EN60335) 20A. Thermal overload protection. Dimensions: 300 x 300 x 160mm. Weight: 11.8kg.



Stock No: 07262

Ex. Vat List Price £250.00 *TSP £224.00	Inc. Vat List Price £300.00 *TSP £268.80
--	---

BCS600T

12/24V 500A Battery Starter/Charger With Trolley

For garage and workshop use. Trolley wheels for easy movement around the workshop or yard. Thermal overload protection, an easy-to-read ammeter, battery timer, polarity inversion and transport handle. Manufactured to EN60335 and EN55014 Standards. Charging voltage output 12-24V. Dimensions 450 x 320 x 700mm. Weight 26kg



Stock No: 40181

Ex. Vat
List Price £367.98
***TSP £325.00**

Inc. Vat
List Price £441.58
***TSP £390.00**

BCS350T

12V/24V 300A Battery Starter/Charger With Trolley

Manufactured to EN60335 and EN55014 Standards. Polarity protected. Charging voltage output 12-24V. Charging output (EN60335) 20A. Cranking current (EN60335) 220A. Thermal overload protection. Dimensions 400 x 300 x 640mm. Weight 19kg



Stock No: 40180

Ex. Vat
List Price £238.94
***TSP £214.00**

Inc. Vat
List Price £286.73
***TSP £256.80**

BCS230

12/24V 230A Battery Starter/Charger

Polarity protected. Charging voltage output 12-24V. Charging output effective 20A. Cranking current (EN60335) 150A. Thermal overload protection.



Stock No: 40179

Ex. Vat
List Price £166.82
***TSP £158.00**

Inc. Vat
List Price £200.18
***TSP £189.60**

BC22A

12V/24V 22A Automatic Battery Charger

Suitable for conventional lead acid, lead calcium, maintenance-free lead calcium and gel filled batteries. Fully automatic with continuous adjustment of unsupervised charging. Polarity protection. Charging voltage output 12-24V. Effective charging current 22A (12V). Av charging current EN60335 20A (12V). Thermal overload protection



Stock No: 43941

Ex. Vat
List Price £204.74
***TSP £185.00**

Inc. Vat
List Price £245.69
***TSP £222.00**

BC30

12V/24V 20A Battery Charger

Polarity protected. Charging voltage output 12-24V. Effective charging current 30A. Av charging current (EN60335) 20A. Thermal overload protection.



Stock No: 40177

Ex. Vat
List Price £135.14
***TSP £110.00**

Inc. Vat
List Price £162.17
***TSP £132.00**

BC14

12V/24V 12A Battery Charger

Polarity protected. Charging voltage output 12-24V. Av charging current (EN60335): 10A. 2 charging steps. Thermal overload protection.



Stock No: 40176

Ex. Vat
List Price £74.40
***TSP £68.00**

Inc. Vat
List Price £89.28
***TSP £81.60**

BCS150

12V 135A Battery Starter/Charger

Polarity protected. Charging voltage output 12V. Charging output (EN60335) 18A. Cranking current (EN60335) 12A. Thermal overload protection.



Stock No: 40178

Ex. Vat
List Price £114.00
***TSP £99.95**

Inc. Vat
List Price £136.80
***TSP £119.94**



IBC1236

12V 3.6A Inverter Battery Charger

High output compact electronic charger for use with 12V batteries that are used on cars, caravans, motorhomes, boats and similar vehicles in all conditions for any length of time and in complete safety. Useful for maintaining lead acid batteries up to 120Ah on vehicles which are used infrequently; the battery can be connected to the charger and left. Three charging programmes - 0.8A/14.4V for batteries up to 35Ah; 3.6A/14.4V for batteries 35-120Ah and 3.6A/14.7V for batteries up to 120Ah in cold mode. As long as the battery isn't faulty the inverter charger's intelligent, multi-stage charging regime will ensure that it's fully charged to its maximum capacity. Charging regime is three step fully automatic with pulse maintenance. Fully protected against short circuits and ± polarity inversion. Weatherproof (IP65). Supplied complete with set of crocodile clips. Inverter chargers can be ONLY be used with lead-acid battery types as follows: wet, MF, VRLA, AGM, GEL and lead calcium. Dimensions: 202 x 90 x 45mm.



Stock No: 48484


Ex. Vat
List Price £72.46
***TSP £65.00**

Inc. Vat
List Price £86.95
***TSP £78.00**

IBC1208

12V 0.8A Inverter Battery Charger

High output compact electronic charger for use with 12V batteries that are used on small cars, motorcycles, lawnmowers and jet-skis in all conditions for any length of time and in complete safety. Useful for maintaining lead acid batteries up to 35Ah on vehicles which are used infrequently; the battery can be connected to the charger and left. As long as the battery isn't faulty the inverter charger's intelligent, multi-stage charging regime will ensure that it's fully charged to its maximum capacity. Charging regime is three step fully automatic with pulse maintenance. Fully protected against short circuits and ± polarity inversion. Weatherproof (IP65). Complete with two sets of leads - one with eyelet terminals and the other crocodile clips. Inverter chargers can be ONLY be used with lead-acid battery types as follows: wet, MF, VRLA, AGM, GEL and lead calcium. Dimensions: 202 x 90 x 45mm



Stock No: 48483

Ex. Vat
List Price £54.60
***TSP £51.00**

Inc. Vat
List Price £65.52
***TSP £61.20**

IBC1270

12V 7.0A Inverter Battery Charger

High output compact electronic charger for use with any type of lead acid battery with a capacity of up to 225Ah. Four charging programmes - 14.4V for batteries up to 225Ah; 14.7V for batteries up to 225Ah (cold mode); 5A/13.6V as a constant power supply/ starter charging of very low charge batteries/memory saving function for disconnected batteries; 16V battery equalization for the recovery of partially sulphated batteries. As long as the battery isn't faulty the inverter charger's intelligent, multi-stage charging regime will ensure that it is fully charged to its maximum capacity. Charging regime is three step fully automatic with pulse maintenance. Fully protected against short circuits and ± polarity inversion. Weatherproof (IP65). Supplied complete with set of crocodile clips. Inverter chargers can be ONLY be used with lead-acid battery types as follows: wet, MF, VRLA, AGM, GEL and lead calcium. Dimensions: 202 x 90 x 45mm



Stock No: 48485

Ex. Vat
List Price £116.56
***TSP £99.00**

Inc. Vat
List Price £139.87
***TSP £118.80**

BC4

12V 4.5A Battery Charger & Tester

Suitable for conventional lead acid batteries ONLY. 4.5A charge setting. LED battery condition tester. LED charging status display. Thermal overload safety protection. Charging output 12V. Polarity protection.



Stock No: 72848

Ex. Vat
List Price £27.56
***TSP £25.00**

Inc. Vat
List Price £33.07
***TSP £30.00**

BH-2

Battery Hydrometer

Measures battery electrolyte density. Range: 1.15-1.30 g/ml. Glass tube, PVC bulb and spout.



Stock No: 61792

Ex. Vat
List Price £6.48
***TSP £4.25**

Inc. Vat
List Price £7.78
***TSP £5.10**

BLT100

100 Amp Battery Load Tester

For testing 6 and 12V lead acid batteries, charging and starting circuits found on most motorcycles, cars, light commercial vehicles, tractors, boats etc. Up to 100A load test. Tests: state of charge, cranking ability, charging system output and starter motor



Stock No: 53090

Ex. Vat
List Price £86.42
***TSP £33.33**

Inc. Vat
List Price £103.70
***TSP £39.99**

BCS60

12V 60A Battery Charger/Starter & Tester

Heavy duty 60A engine start facility. Suitable for conventional lead acid batteries ONLY. Fast 26A charge setting. LED battery condition tester. LED charging status display. Thermal overload safety protection. Charging output 12V. Polarity protection.



Stock No: 66801

Ex. Vat
List Price £76.84
***TSP £70.00**

Inc. Vat
List Price £92.21
***TSP £84.00**

BC12

12V 12A Battery Charger & Tester

Suitable for conventional lead acid batteries ONLY. Fast 12A charge setting. LED battery condition tester. LED charging status display. Thermal overload safety protection. Charging output 12V. Polarity protection.



Stock No: 66798

Ex. Vat
List Price £42.80
***TSP £39.00**

Inc. Vat
List Price £51.36
***TSP £46.80**

BC1

12V Intelligent Battery Charger

Suitable for conventional lead acid, maintenance free and absorbent glass matt (AGM) and gel filled batteries. 6A charge setting. Fully automatic with temperature sensor compensation and continuous adjustment of unsupervised charging. Maintains battery in a 100% fully charged state. LED charging status display. Thermal overload safety protection. Charging output 12V. Audible polarity protection.



Stock No: 66806

Ex. Vat
List Price £51.46

*TSP **£46.00**

Inc. Vat
List Price £61.75

*TSP **£55.20**

BC8A

12V 8A Automatic Battery Charger & Tester

Automatically reverts to safe trickle mode when battery fully charged thus maintaining a fully-charged battery. Suitable for conventional and maintenance free lead acid batteries ONLY. Intermittent 8A charge setting. LED battery condition tester. LED charging status display. Thermal overload safety protection. Charging output 12V.



Stock No: 66800

Ex. Vat
List Price £37.32

*TSP **£35.00**

Inc. Vat
List Price £44.78

*TSP **£42.00**

PP12/24PRO

12/24V 2400A Heavy Duty Power Pack

Expert Quality, Ideal for automotive, light commercial, HGV, marine, agricultural and construction equipment. Capable of starting 12V and 24V petrol engines up to 8000cc, 12V diesel engines up to 4000cc, 24V diesel engines and up to 14,000cc. Marine diesel engines 12V 3000cc and 24V 8000cc. Twin aerospace quality solid lead, maintenance-free 29Ah batteries. Three stage integral charging system means battery will recharge from 50% discharge in only five hours. Reverse polarity and anti-surge protected with heavy duty battery isolator switch and reverse polarity indicators. 2M heavy duty booster cables with insulated jaws. Weight 27kg



Stock No: 45015

Ex. Vat
List Price £1597.58

*TSP **£749.00**

Inc. Vat
List Price £1917.10

*TSP **£898.80**

BC6

12V 6A Battery Charger & Tester

Suitable for conventional lead acid batteries ONLY. Fast 6A charge setting. LED battery condition tester. LED charging status display. Thermal overload safety protection. Charging output 12V. Polarity protection.



Stock No: 66799

Ex. Vat
List Price £28.54

*TSP **£27.50**

Inc. Vat
List Price £34.25

*TSP **£33.00**

BC5

6V/12V 4.5A Battery Charger & Tester

Suitable for conventional lead acid batteries ONLY. LED battery condition tester. LED charging status display. Thermal overload safety protection. Charging outputs 6/12V. Polarity protection.



Stock No: 66802

Ex. Vat
List Price £29.64

*TSP **£26.50**

Inc. Vat
List Price £35.57

*TSP **£31.80**



PP12/PRO

12V 1600A Heavy Duty Power Pack

Expert Quality, Ideal for vehicle dealerships, car sales outlets etc. Capable of starting 12V petrol engines up to 3500cc and 12V diesel engines up to 1900cc. Uses a 16A/h sealed dry lead acid battery (maintenance free). Reverse polarity and anti-surge protected with heavy duty battery isolator switch and reverse polarity indicators. 2M heavy duty booster cables with insulated jaws. Rechargeable through 12V vehicle cigarette lighter socket or 230V AC supply.



Stock No: 45016

Ex. Vat
List Price £574.84

*TSP **£279.00**

Inc. Vat
List Price £689.81

*TSP **£334.80**

PP12VB/HD

12V 900A Heavy Duty Portable Power Pack

Versatile power pack ideal for petrol vehicles up to 3000cc and diesel vehicles up to 2400cc. On/off power switch, voltmeter with battery charge, anti-surge protection reverse polarity indicators. Heavy duty booster cables with insulated jaws. DC power socket allows the running of 12V/DC accessories to a maximum current of 15A. Rechargeable through a 230V AC supply or a 12V vehicle cigarette lighter socket. **Conforms to EN60335-2-29:1997 & EN61000-61:2001**



Stock No: 40133

Ex. Vat
List Price £174.58

*TSP **£99.99**

Inc. Vat
List Price £209.50

*TSP **£119.99**

PP12VC/B

12V 700A Portable Power Pack With Air Compressor And Integral Light

Power pack ideal for petrol vehicles up to 2000cc and diesel vehicles up to 1800cc. On/off power switch, voltmeter with battery charge, anti-surge protection and reverse polarity indicators. Heavy duty booster cables with insulated jaws. DC power socket allows the running of 12V/DC accessories to a maximum current of 15A. Integral air compressor with pressure gauge, hose and popular adaptors. Rechargeable through a 230V AC supply or a 12V vehicle cigarette lighter socket. **Conforms to EN60335-2-29:1997 & EN61000-61:2001**



Stock No: 40134

Ex. Vat
List Price £166.28

*TSP **£87.49**

Inc. Vat
List Price £199.54

*TSP **£104.99**

Diesel Space Heaters New For This Season All Our Diesel Space Heaters Now Have Integral Thermostatic Control With Pre Settable Guide Temperature & LCD Display Screen. This Multi-Function Panel Will Also Show Service Fault Codes.



DSH51

51,000 BTU (15kW) Diesel/Kerosene Space Heater

For use in open and semi-open locations only. Suggested heating area: 8000cu. ft. Direct combustion of fuel, as the exhaust gases are mixed with air they are discharged to give a high heat output. High performance stainless steel burner assembly. Fitted with flame safety device and dual fuel filter. Size L x W x H (approx.): 670 x 280 x 350mm



Palletized Delivery see page 7



Stock No: 39076

Ex. Vat
List Price £359.42
***TSP £305.00**

Inc. Vat
List Price £431.30
***TSP £366.00**



Palletized Delivery see page 7

DSH71

68,200 BTU (20kW) Diesel/Kerosene Space Heater

For use in open and semi-open environments. Suggested heating area: 8900cu.ft. Direct combustion of fuel as exhaust gases are mixed with air to give high heat output. Clean burn in the stainless steel combustion chamber. Dual Fuel filters and fuel gauge to monitor consumption. Flame safety device with overheat protection and automatic ignition. Size L x W x H (approx.): 690 x 400 x 720mm



Stock No: 19749

Ex. Vat
List Price £375.00
***TSP £315.00**

Inc. Vat
List Price £450.00
***TSP £378.00**

DSH102

102,420 BTU (30kW) Diesel/Kerosene Space Heater

For use in open and semi-open environments. Suggested heating area: 17,000cu.ft. Direct combustion of fuel as exhaust gases are mixed with air to give high heat output. Clean burn in the stainless steel combustion chamber. Dual Fuel filters and fuel gauge to monitor consumption. Flame safety device with overheat protection and automatic ignition. Size L x W x H (approx.): 880 x 450 x 630mm



Palletized Delivery see page 7



Stock No: 19750

Ex. Vat
List Price £477.42
***TSP £395.00**

Inc. Vat
List Price £572.90
***TSP £474.00**

DSH170

170,000 BTU (50kW) Diesel/Kerosene Space Heater

For use in open and semi-open locations only. Suggested heating area: 28,000cu. ft. Direct combustion of fuel, as the exhaust gases are mixed with air they are discharged to give a high heat output. High performance stainless steel burner assembly. Fitted with flame safety device and dual fuel filter. Size L x W x H (approx.): 950 x 570 x 720mm



Palletized Delivery see page 7



Stock No: 39277

Ex. Vat
List Price £592.60
***TSP £450.00**

Inc. Vat
List Price £711.12
***TSP £540.00**

DSH71SS

68,200 BTU (20kW) 230V Stainless Steel Diesel/Kerosene Space Heater

For use in open and semi-open locations only. Suggested heating area: 8900cu. ft. Direct combustion of fuel, as the exhaust gases are mixed with air they are discharged to give a high heat output. High performance stainless steel burner assembly. Fitted with flame safety device and fuel filter. Size L x W x H (approx.): 690 x 400 x 520mm



Palletized Delivery see page 7

Stock No: 39077

Ex. Vat
List Price £411.56
***TSP £339.00**

Inc. Vat
List Price £493.87
***TSP £406.80**



Palletized Delivery see page 7

Stock No: 39275

Ex. Vat
List Price £536.14
***TSP £425.00**

Inc. Vat
List Price £643.37
***TSP £510.00**

PSH10

34,000 BTU (10kW) 230V Propane Mix Space Heater

For use in open and semi-open environments. Suggested heating area: 4000cu. ft. High performance stainless steel burner assembly with control box rated to IP44. Thermostat and thermocouple with solenoid for flame safety. Gas hose regulator and a BS approved non-rewireable 3 pin moulded plug and cable. Size L x W x H (approx.): 380 x 230 x 340mm



Stock No: 39038

Ex. Vat
List Price £111.86
***TSP £99.00**

Inc. Vat
List Price £134.23
***TSP £118.80**

PSH41

40,900 BTU (12kW) 230V Propane Mix Space Heater

For use in open and semi-open environments. Suggested heating area: 5000cu.ft. High performance stainless steel burner assembly with control box rated to IP44. Thermostat and thermocouple with solenoid for flame safety. Piezo push button ignition. Gas hose and a BS approved non-rewireable 3 pin moulded plug and cable. Size L x W x H (approx.): 420 x 240 x 270mm



Stock No: 19751

Ex. Vat
List Price £116.32
***TSP £105.00**

Inc. Vat
List Price £139.58
***TSP £126.00**

PSH105

102,000 BTU (30kW) 230V Propane Mix Space Heater

For use in open and semi-open environments. Suggested heating area: 13,000cu. ft. High performance stainless steel burner assembly with control box rated to IP44. Thermostat and thermocouple with solenoid for flame safety. Piezo push button ignition. Gas regulator hose and a BS approved non-rewireable 3 pin moulded plug and cable. Size L x W x H (approx.): 535 x 240 x 470mm



Stock No: 19752

Ex. Vat
List Price £179.66
***TSP £165.00**

Inc. Vat
List Price £215.59
***TSP £198.00**

PSH136

136,000 BTU (40kW) 230V Propane Mix Space Heater

For use in open and semi-open environments. Suggested heating area: 23,000cu. ft. High performance stainless steel burner assembly with control box rated to IP44. Thermostat and thermocouple with solenoid for flame safety. Piezo push button ignition. Gas hose regulator and a BS approved non-rewireable 3 pin moulded plug and cable. Size L x W x H (approx.): 600 x 260 x 470mm



Stock No: 19753

Ex. Vat
List Price £203.60
***TSP £195.00**

Inc. Vat
List Price £244.32
***TSP £234.00**

PSH301

235,424 BTU (69kW) 110/230V Propane Mix Space Heater

For use in open and semi-open environments. Suggested heating area: 35,000cu.ft. High performance steel burner assembly with control box rated to IP44. Thermostat and thermocouple with solenoid for flame safety. Gas hose regulator and a BS approved non-rewireable 3 pin moulded plug and cable. Size L x W x H (approx.): 600 x 340 x 440mm



Stock No: 49166

Ex. Vat
List Price £451.50
***TSP £405.00**

Inc. Vat
List Price £541.80
***TSP £486.00**

PSH41SS

40,900 BTU (12kW) 230V Stainless Steel Propane Mix Space Heater

For use in open and semi-open environments. Suggested heating area: 5000cu. ft. High performance stainless steel burner assembly with control box rated to IP44. Thermostat and thermocouple with solenoid for flame safety. Gas hose regulator and a BS approved non-rewireable 3 pin moulded plug and cable. Size L x W x H (approx.): 380 x 210 x 250mm



Stock No: 39039

Ex. Vat
List Price £123.08
***TSP £110.00**

Inc. Vat
List Price £147.70
***TSP £132.00**



Palletized Deliveries

the products marked with this logo can only be delivered on a pallet. Prior to purchase please ensure you have adequate facilities to unload palletized deliveries. Contact your Draper stockist for local information.

PSH105SS

102,000 BTU (30kW) 230V Stainless Steel Propane Mix Space Heater

For use in open and semi-open environments. Suggested heating area: 13,000cu.ft. High performance stainless steel burner assembly with control box rated to IP44. Thermostat and thermocouple with solenoid for flame safety. Gas hose regulator and a BS approved non-rewireable 3 pin moulded plug and cable. Size L x W x H (approx.): 590 x 300 x 470mm



Stock No: 39040

Ex. Vat
List Price £213.06
***TSP £199.00**

Inc. Vat
List Price £255.67
***TSP £238.80**

PSH136SS

136,000 BTU (40kW) 230V Stainless Steel Propane Mix Space Heater

For use in open and semi-open environments. Suggested heating area: 23,000cu.ft. High performance stainless steel burner assembly with control box rated to IP44. Thermostat and thermocouple with solenoid for flame safety. Gas hose regulator and a BS approved non-rewireable 3 pin moulded plug and cable. Size L x W x H (approx.): 600 x 260 x 470mm



Stock No: 39041

Ex. Vat
List Price £242.72
***TSP £205.00**

Inc. Vat
List Price £291.26
***TSP £246.00**

DRAPER®
Workshop
Focus On...

A promotion of Professional Quality Space Heaters and Battery Chargers for use in Industrial, Agricultural and Automotive Workshops.

Available While Stocks Last!



If no company name appears above, please visit:
www.draper.co.uk/stockist for stockist details.
Or telephone +44 (23) 8049 4333 (note: products cannot be purchased on this number)

Refer to the Draper Tools website for new products. We are constantly adding new products to our range.
www.draper.co.uk/newproducts

E & O.E Draper Tools Ltd., Hursley Road, Chandler's Ford, Eastleigh, Hampshire. SO53 1YF.

Prices valid until 31st January 2012. These prices may not apply to our Internet site.

VAT calculated at 20%, The current rate at time of going to press.

Designed and published by Draper Tools Ltd. Ref: WSHOP FOCUS1 uk 11. Stock No. 70412